

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S183	9	((("5870737") or ("20010037212") or ("20010054008") or ("20020035501") or ("20020062241") or ("20020065813") or ("20020077857") or ("20030009392") or ("20030009430")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 16:46
S184	1	S183 and default	USPAT	OR	OFF	2006/03/14 10:39
S185	0	S183 and report	USPAT	OR	OFF	2006/03/14 10:39
S186	6	S183 and report	US-PGPUB; USPAT	OR	OFF	2006/03/14 10:39
S187	4	S183 and report and default	US-PGPUB; USPAT	OR	OFF	2006/03/14 10:39
S188	0	S183 and report and default and modek	US-PGPUB; USPAT	OR	OFF	2006/03/14 10:39
S189	4	S183 and report and default and model	US-PGPUB; USPAT	OR	OFF	2006/03/14 10:41
S190	6393	default and report and records and model and @ad<"20030930"	US-PGPUB; USPAT	OR	OFF	2006/03/14 10:42
S191	2141	default and report and records and model and sort and @ad<"20030930"	US-PGPUB; USPAT	OR	OFF	2006/03/14 10:43
S192	14	default and report and records and model and sort with (rule or preference) and @ad<"20030930"	US-PGPUB; USPAT	OR	OFF	2006/03/14 10:43
S193	24	default and report and records and model and sort with (rule or preference) and @ad<"20030930"	US-PGPUB; USPAT	OR	OFF	2006/03/14 10:46
S194	5	default and report and records and model and sort with (rule or preference) and (relevanc\$3 or significance) and @ad<"20030930"	US-PGPUB; USPAT	OR	OFF	2006/03/14 10:49
S195	24	default and report and records and model and sort with (rule or preference) and @ad<"20030930"	US-PGPUB; USPAT	OR	OFF	2006/03/14 10:49
S196	282	default and report and record and model and sort\$3 with (rule or preference) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 10:50
S197	89	default and report and record and model and sort\$3 with (rule or preference)and (relevanc\$3 or significance) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 11:24
S198	109	(table or field) near3 (default and (relevanc\$3 important\$3 significance priority) and sort\$3)	US-PGPUB; USPAT	OR	ON	2006/03/14 11:10

## EAST Search History

S19 9	44	(table or field) near3 (default and (relevanc\$3 important\$3 significance priority) and sort\$3) and report	US-PGPUB; USPAT	OR	ON	2006/03/14 11:11
S20 0	19	default and report\$3.ti. and record and model and sort\$3 and (relevanc\$3 or significance) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 11:43
S20 1	1187	Select\$3 with characteristic\$1 same report\$3	US-PGPUB; USPAT	OR	ON	2006/03/14 11:49
S20 2	1	Select\$3 with characteristic\$1 same report\$3 and S196	US-PGPUB; USPAT	OR	ON	2006/03/14 11:45
S20 3	1187	Select\$3 with characteristic\$1 same report\$3 and @ay<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 11:49
S20 4	4775472	Select\$3 with characteristic\$1 same report\$3 and (model or template) @ay<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 11:50
S20 5	723	Select\$3 with characteristic\$1 same report\$3 and (model or template) and @ay<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 11:50
S20 6	118	Select\$3 with characteristic\$1 same report\$3 and (model or template) and sort and @ay<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 11:58
S20 7	98	Select\$3 with characteristic\$1 same report\$3 and (model or template) and sort and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 12:15
S20 8	98	Select\$3 with (characteristic\$1 or paramiter\$1) same report\$3 and (model or template) and sort and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 12:28
S20 9	464	Select\$3 with (characteristic\$1 or parameter\$1) same report\$3 and (model or template) and sort and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 12:28
S21 0	346	Select\$3 with (characteristic\$1 or parameter\$1) same report\$3 and (model or template) and sort and default and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 12:29
S21 1	297	Select\$3 with (characteristic\$1 or parameter\$1) same report\$3 and (model or template) and sort and default and (significance or priority or rank\$3 or relivance) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 12:30
S21 2	44	Select\$3 with (characteristic\$1 or parameter\$1) same report\$3 same (model or template) and sort and default and (significance or priority or rank\$3 or relivance) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 12:31

## EAST Search History

S21 3	23	Select\$3 with (characteristic\$1 or parameter\$1) same report\$3 same (model or template) and sort and default and (significance or priority or rank\$3 or relivance) and @ad<"20030930" not ginter	US-PGPUB; USPAT	OR	ON	2006/03/14 12:51
S21 4	594	Relative adj significance	US-PGPUB; USPAT	OR	ON	2006/03/14 12:52
S21 5	33	Relative adj significance same field	US-PGPUB; USPAT	OR	ON	2006/03/14 12:53
S21 6	94	Relative adj significance and default	US-PGPUB; USPAT	OR	ON	2006/03/14 12:53
S21 7	143	Relative adj significance and report	US-PGPUB; USPAT	OR	ON	2006/03/14 12:57
S21 8	1	Report with gerat\$3	US-PGPUB; USPAT	OR	ON	2006/03/14 12:58
S21 9	28894	Report with Generat\$3	US-PGPUB; USPAT	OR	ON	2006/03/14 12:58
S22 0	22331	Report near3 Generat\$3	US-PGPUB; USPAT	OR	ON	2006/03/14 12:59
S22 1	22331	Report near3 (Generat\$3 or prear\$5)	US-PGPUB; USPAT	OR	ON	2006/03/14 12:59
S22 2	26303	Report near3 (Generat\$3 or prepar\$5)	US-PGPUB; USPAT	OR	ON	2006/03/14 12:59
S22 3	4917	Report near3 (Generat\$3 or prepar\$5)and template	US-PGPUB; USPAT	OR	ON	2006/03/14 12:59
S22 4	2624	Report near3 (Generat\$3 or prepar\$5)and template and default	US-PGPUB; USPAT	OR	ON	2006/03/14 12:59
S22 5	14934	Report near3 (Generat\$3 or prepar\$5)and template and default amd sprt	US-PGPUB; USPAT	OR	ON	2006/03/14 13:00
S22 6	1132	Report near3 (Generat\$3 or prepar\$5)and template and default and sort	US-PGPUB; USPAT	OR	ON	2006/03/14 13:00
S22 7	950	Report near3 (Generat\$3 or prepar\$5)and template and default and sort and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 13:01
S22 8	706	Report near3 (Generat\$3 or prepar\$5)and template and default and sort and (sigificancr or relivance or priority or wieght\$3 or rank\$3) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 13:02
S22 9	706	Report near3 (Generat\$3 or prepar\$5)and template and default and sort and (significance or relivance or priority or wieght\$3 or rank\$3) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 13:02

## EAST Search History

S23 0	729	Report near3 (Generat\$3 or prepar\$5)and template and default and sort and (significance or relivance or priority or wieght\$3 or rank\$3) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 13:03
S23 1	64	Report near3 (Generat\$3 or prepar\$5)and template and default and sort and (significance or relivance or priority or wieght\$3 or rank\$3) and norm and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 13:07
S23 2	12	model adj norm	US-PGPUB; USPAT	OR	ON	2006/03/14 13:08
S23 3	57	normalizing near3 records	US-PGPUB; USPAT	OR	ON	2006/03/14 13:10
S23 4	32	normalizing near3 records and report\$3	US-PGPUB; USPAT	OR	ON	2006/03/14 13:44
S23 5	120820	template	US-PGPUB; USPAT	OR	ON	2006/03/14 13:58
S23 6	2606	template and sql and report	US-PGPUB; USPAT	OR	ON	2006/03/14 13:58
S23 7	351	template same sql and report	US-PGPUB; USPAT	OR	ON	2006/03/14 13:59
S23 8	134	template same sql and report and sort\$2	US-PGPUB; USPAT	OR	ON	2006/03/14 14:14
S23 9	108	template same sql and report and sort\$2 and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 14:29
S24 0	359	model same sql and report\$3 and sort\$2 and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 14:30
S24 1	37	model same sql and report\$3 and sort\$2 and (relevance) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 14:39
S24 2	108	model same sql and report\$3 and sort\$2 and (importance) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 14:40
S24 3	5	model same sql and report\$3 and sort\$2 and (field or table or col or column) with(importance) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 14:42
S24 4	244	model and report\$3 and sort\$2 and (field or table or col or column) with(importance) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 14:43
S24 5	63	model and default with value and report\$3 and sort\$2 and (field or table or col or column) with(importance) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 15:27

## EAST Search History

S24 6	243	sort adj field and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 15:28
S24 7	25	sort adj field and ((relevance or significance or order or importance of rank\$3) adj field) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 15:50
S24 8	4288002	record adj normalization @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 15:50
S24 9	5	record adj normalization and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 15:51
S25 0	33605	(record or data) same normali\$6 and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 15:51
S25 1	19481	(record or data) with normali\$6 and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 15:52
S25 2	2252	(record or data) with normali\$6 and sort and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 15:52
S25 3	2143	(record or data) with normali\$6 and sort and (order or significance or relivance) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 15:53
S25 4	1012	(record or data) with normali\$6 and sort and (order or significance or relivance)and report and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 15:53
S25 5	89	(record) with normali\$6 and sort and (order or significance or relivance)and report and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/14 15:54
S25 6	81804	Normali\$4 and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:47
S25 7	64410	Normali\$4 and table and @ad<"20030930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:48
S25 8	7377	Normali\$4 with (table or view or report) and @ad<"20030930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:48

## EAST Search History

S25 9	359	Normaliz\$4 with (report) and @ad<"20030930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:48
S26 0	151	Normaliz\$4 with (report) and database and @ad<"20030930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:48
S26 1	0	normaliz\$5 and aggrigat\$3 and report\$1	US-PGPUB; USPAT	OR	OFF	2006/03/15 09:46
S26 2	0	normaliz\$5 and agrigat\$3 and report\$1	US-PGPUB; USPAT	OR	OFF	2006/03/15 09:46
S26 3	8154	normaliz\$5 and Aggregat\$3 and report\$1	US-PGPUB; USPAT	OR	OFF	2006/03/15 09:47
S26 4	55	normaliz\$5 same aggregat\$3 same report\$1	US-PGPUB; USPAT	OR	OFF	2006/03/15 09:56
S26 5	245	normaliz\$5 same aggregat\$3 same (report\$1 or table\$1)	US-PGPUB; USPAT	OR	OFF	2006/03/15 09:56
S26 6	290	normaliz\$5 same aggregat\$3 same (report\$1 or table\$1 or record\$1)	US-PGPUB; USPAT	OR	OFF	2006/03/15 09:56
S26 7	136	normaliz\$5 same aggregat\$3 same (report\$1 or table\$1 or record\$1) and sort\$3	US-PGPUB; USPAT	OR	OFF	2006/03/15 09:57
S26 8	4288012	normaliz\$5 same aggregat\$3 same (report\$1 or table\$1 or record\$1) and sort\$3 @ad<"20030930"	US-PGPUB; USPAT	OR	OFF	2006/03/15 09:57
S26 9	124	normaliz\$5 same aggregat\$3 same (report\$1 or table\$1 or record\$1) and sort\$3 and @ad<"20030930"	US-PGPUB; USPAT	OR	OFF	2006/03/15 09:57
S27 0	64	normaliz\$5 same aggregat\$3 same (report\$1 or table\$1 or record\$1) and sort\$3 and select\$3 and sql and @ad<"20030930"	US-PGPUB; USPAT	OR	OFF	2006/03/15 09:58
S27 1	61	normaliz\$5 same aggregat\$3 same (report\$1 or table\$1 or record\$1) and sort\$3 and select\$3 and sql and (model or template or format)and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/15 10:12
S27 2	62	default same sort same(characteristic or propory or parameter) same (rank\$3 or significance or order or hierarchy or relivance or priority) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/15 10:25

## EAST Search History

S27 3	0	reformatting with sql and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/15 10:26
S27 4	91	reformatting and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/15 11:21
S27 5	0	Favored adj norm and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/15 11:25
S27 6	12115	view with format and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/15 11:27
S27 7	757	view with format and sql and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/15 11:28
S27 8	368	view with format and sql and template and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/15 11:28
S27 9	0	view with format and sql and template and selec and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/15 11:28
S28 0	353	view with format and sql and template and select and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/15 11:30
S28 1	285	view with format and sql and template and select and report and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/15 11:30
S28 2	170	view with format and sql and template and select and report and sort and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/15 11:30
S28 3	146	view with format and sql and template and select and report and sort and default and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/15 14:24
S28 4	330	order same columns same significance	US-PGPUB; USPAT	OR	ON	2006/03/15 14:24
S28 5	17	order same columns same significance and sql	US-PGPUB; USPAT	OR	ON	2006/03/15 14:30
S28 6	210	order\$3 same (column or attribute or charicteristict) same (signific\$4 or relevance\$4) and sql	US-PGPUB; USPAT	OR	ON	2006/03/15 14:31
S28 7	445	order\$3 same (column or attribute or charicteristict) same (signific\$4 or relevan\$4) and sql	US-PGPUB; USPAT	OR	ON	2006/03/15 14:32
S28 8	128	order\$3 with (column or attribute or charicteristict) with (signific\$4 or relevan\$4) and sql	US-PGPUB; USPAT	OR	ON	2006/03/15 14:39
S28 9	0	view same ordering with (column or attribute or charicteristict) with (signific\$4 or relevan\$4) and sql	US-PGPUB; USPAT	OR	ON	2006/03/15 14:40
S29 0	19	ordering with (column or attribute or charicteristict) with (signific\$4 or relevan\$4) and sql	US-PGPUB; USPAT	OR	ON	2006/03/15 14:44
S29 1	0	template same orderby	USPAT	OR	OFF	2006/03/16 08:51

## EAST Search History

S29 2	25	orderby	USPAT	OR	OFF	2006/03/16 09:01
S29 3	0	template and "order by"	USPAT	OR	OFF	2006/03/16 09:02
S29 4	0	"order by"	USPAT	OR	OFF	2006/03/16 09:04
S29 5	9588	template same order	USPAT	OR	OFF	2006/03/16 09:04
S29 6	0	template same order same by	USPAT	OR	OFF	2006/03/16 09:04
S29 7	9588	template same order	USPAT	OR	OFF	2006/03/16 09:04
S29 8	2087	more with data with indicator	US-PGPUB; USPAT	OR	OFF	2006/03/16 13:17
S29 9	153	more near3 data near3 indicator	US-PGPUB; USPAT	OR	OFF	2006/03/16 13:18
S30 0	50	more near3 data near3 indicator and database	US-PGPUB; USPAT	OR	OFF	2006/03/16 13:18
S30 1	17	more near3 data near3 indicator and database and report	US-PGPUB; USPAT	OR	OFF	2006/03/16 13:18
S30 2	24	more near3 information near3 indicator and database and report	US-PGPUB; USPAT	OR	OFF	2006/03/16 13:19
S30 3	34	more near3 information near3 indicator and report	US-PGPUB; USPAT	OR	OFF	2006/03/16 13:19
S30 4	3	more near3 (information or data) near3 indicator same report	US-PGPUB; USPAT	OR	OFF	2006/03/16 13:30
S30 5	61	more near3 (information or data) near3 indicat\$3 same report	US-PGPUB; USPAT	OR	OFF	2006/03/16 13:30
S30 6	119	(more or additional) near3 (information or data) near3 indicat\$3 same report	US-PGPUB; USPAT	OR	OFF	2006/03/16 14:20
S30 7	1910	distribut\$3 same query same database and reports	US-PGPUB; USPAT	OR	ON	2006/03/16 14:21
S30 8	1910	distribut\$3 same query same database and report	US-PGPUB; USPAT	OR	ON	2006/03/16 14:21
S30 9	507	distribut\$3 with query with database and report	US-PGPUB; USPAT	OR	ON	2006/03/16 14:22
S31 0	244	distribut\$3 with query with database and report and default	US-PGPUB; USPAT	OR	ON	2006/03/16 14:22
S31 1	121	distribut\$3 with query with database and report and default and sort	US-PGPUB; USPAT	OR	ON	2006/03/16 14:46
S31 2	129	distribut\$3 with query with database and report and template	US-PGPUB; USPAT	OR	ON	2006/03/16 15:37



## EAST Search History

S31 3	0	report same aggregat\$3	US-PGPUB; USPAT	OR	ON	2006/03/16 15:37
S31 4	0	reports same aggregat\$3	US-PGPUB; USPAT	OR	ON	2006/03/16 15:38
S31 5	3903	reports same aggregat\$3	US-PGPUB; USPAT	OR	ON	2006/03/16 15:39
S31 6	1913	report with aggregat\$3	US-PGPUB; USPAT	OR	ON	2006/03/16 15:39
S31 7	1234	report with aggregat\$3 and format	US-PGPUB; USPAT	OR	ON	2006/03/16 15:51
S31 8	423	report with aggregat\$3 and format and sort	US-PGPUB; USPAT	OR	ON	2006/03/16 15:51
S31 9	262	report with aggregat\$3 and format and sort and default	US-PGPUB; USPAT	OR	ON	2006/03/16 15:51
S32 0	95	report with aggregat\$3 and format and sort and default near3 value	US-PGPUB; USPAT	OR	ON	2006/03/16 15:52
S32 1	69	report with aggregat\$3 and format and sort and default near3 value not ginter	US-PGPUB; USPAT	OR	ON	2006/03/16 16:10
S32 2	165	report with combin\$3 and sort and default near3 value not ginter	US-PGPUB; USPAT	OR	ON	2006/03/16 16:25
S32 3	0	report with concatinat\$3 and sort and default near3 value not ginter	US-PGPUB; USPAT	OR	ON	2006/03/16 16:25
S32 4	2	report with concatinat\$3	US-PGPUB; USPAT	OR	ON	2006/03/16 16:43
S32 5	3413	report with combin\$3	US-PGPUB; USPAT	OR	ON	2006/03/16 16:43
S32 6	1550	report with combin\$3 and record	US-PGPUB; USPAT	OR	ON	2006/03/16 16:43
S32 7	225	report with combin\$3 same record	US-PGPUB; USPAT	OR	ON	2006/03/16 16:43
S32 8	187	report with combin\$3 same record and (format or layout or sort)	US-PGPUB; USPAT	OR	ON	2006/03/16 16:51
S32 9	291	report with join	US-PGPUB; USPAT	OR	ON	2006/03/16 16:51
S33 0	166	report with join and record	US-PGPUB; USPAT	OR	ON	2006/03/16 16:52
S33 1	233	report near3 join\$3 and record	US-PGPUB; USPAT	OR	ON	2006/03/16 16:53
S33 2	218	report near3 join\$3 and database	US-PGPUB; USPAT	OR	ON	2006/03/16 16:53
S33 3	162	report near3 join\$3 and database and (format or layout)	US-PGPUB; USPAT	OR	ON	2006/03/16 16:53

## EAST Search History

S33 4	115	report near3 join\$3 and database and (format or layout) and @ad<"20030930"	US-PGPUB; USPAT	OR	ON	2006/03/16 17:01
S33 5	522531	joining reports	US-PGPUB; USPAT	OR	ON	2006/03/16 17:01
S33 6	12	combines adj reports	US-PGPUB; USPAT	OR	ON	2006/03/16 17:01